

www.healthandcarenotts.co.uk

Nottingham and Nottinghamshire ICS Respiratory (Asthma and Chronic Obstructive Pulmonary Disease (COPD)) Clinical and Community Services Strategy March 2020

This information has been placed in the public domain in order to benefit patients across the country as we believe the experience and approach may be useful for others, however we request that acknowledgement to the work in Nottinghamshire is made and referenced in all materials. This helps us to understand the wider impact benefits of our programme. Please cite 'this work has been informed by the Nottingham and Nottinghamshire ICS' when referencing.



- 1. Executive Summary
- 2. Introduction
- 3. Scope and Approach
- 4. Content
- 5. Priorities for Change
- 6. Proposed Future Care System
- 7. Transformation Proposal
- 8. Enabling Requirements
- 9. Future Vision
- 10. Conclusions and Next Steps
- 11. List of Abbreviations
- 12. Data Sources



The Integrated Care System (ICS) ambition across Nottinghamshire is to both increase the duration of people's lives and to improve the quality of those additional years, allowing people to live longer, happier, healthier and more independently into their old age. The aim of the Clinical and Community Services Strategy (CCSS) is to support the system to achieve this by shifting the focus of our health and care delivery from reactive, hospital based treatment models to a pro-active approach of prevention and early intervention, delivered in people's homes or in community locations where this is appropriate with a long term view of beyond 5 years.

Respiratory disease is the third biggest killer in England affecting one in five people. In the past seven years hospital admissions resulting from lung disease have risen at three times the rate of all admissions and are a major factor in winter pressures faced by the National Health Service (NHS) when non-elective admissions double for respiratory conditions. Consequently, this is now seen as a major priority in the NHS Long Term Plan (LTP), which states:

"Over the next ten years we will be targeting investment in improved treatment and support for those with respiratory disease, with an ambition to transform our outcomes to equal, or better, our international counterparts."

More than 3,500 people die each year from complications due to asthma, but asthma is a manageable disease. Annually asthma and chronic obstructive pulmonary disease (COPD) costs the NHS £3 billion and £1.9 billion respectively in the UK, with £11 billion spent annually in total on all lung conditions. It is becoming well known that incidence and mortality rates from respiratory disease are higher in disadvantaged groups and areas of social deprivation and with this gap widening it is leading to worse health outcomes. This mainly results from higher incidence of smoking rates and poor housing conditions within the most deprived communities, exposure to higher levels of air pollution and exposure to occupational hazards.

This asthma and COPD service review has been undertaken as part of the ICS CCSS work stream. This has been supported by clinical experts and stakeholders in the development of place based service models for the future, to support the long term needs of our existing citizens. The review also focuses on embedding prevention in our population over the next 5-10 years, by shifting our culture from one of illness to one of healthier lifestyles and self-care.

The strategy identifies major stages in the asthma or COPD patient's journey and stresses a need to reorganise the way in which these services are delivered, from prevention through to longer term support for those at highest risk or those living with these conditions. A whole pathway approach in the provision of asthma and COPD services is crucial in order to maximise the clinical outcome for patients, their quality of life and experience of asthma and COPD services.

Key themes have been identified along with key transformational opportunities and potential impacts have been developed which include: prevention strategies to promote healthy ageing and independence and reduce avoidable admissions; improved access & shared communication about patients' past medical history from East Midlands Ambulance Service (EMAS) crews attending an emergency, acute care settings to community settings; appropriate levels of workforce skill mix 24/7 across the ICS; standardise access to smoking cessation and pulmonary rehabilitation across the ICS based on best evidence model.

A transformational 'Bridge to the Future' highlights current service offers across the ICS and identifies some potential long term next steps that can be taken to achieve the identified opportunities with proposed timelines and the expected outcome for our citizens of Nottinghamshire.

The recommended next steps are vital in keeping the momentum of change in the future offer of improved prevention and better health for our citizens; providing the right tools for our population to support their wellbeing; providing strong communication links for our staff is vital to enable them to provide the best care for our citizens; the most appropriate models of care in acute settings, neighbourhood and home need to be provided equitably across the

ICS and be provided using best evidence, flexibly and in a patient centred way for them to fulfil their maximum potential throughout their lifetime. Respiratory ICS Clinical and Community Services Strategy Final V4.2



() www.healthandcarenotts.co.uk @NHSNottingham

Background and Purpose	In Nottinghamshire we have made great progress in improving people's health and wellbeing. Today, we can treat diseases and conditions we once thought untreatable. However, our health and care system faces change and this will impact on our services, for example, the growing prevalence of long-term health conditions places new strains on our system. There is inequality evident in both the location of challenges and in access to services. In some areas, it is easier to access a GP than in others, or to find things to do to enable citizens to stay active and fit. The ICS ambition across Nottinghamshire is to both increase the duration of people's lives and to improve those additional years, allowing people to live longer, happier, healthier and more independently into their old age. The requirement for a CCSS came from the recognition that to achieve this ambition the system has to change as a whole, rather than just in its individual acute, primary care, community and social care elements. It is recognised that only by working together to describe changes in how care is provided across the system, rather than through individual organisations, will we deliver the scale of change required.	
The ICS Clinical and Community Services Strategy	The aim of the CCSS is to support the system to achieve this by shifting the focus of our health and care delivery from reactive, hospital based treatment models to a pro-active approach of prevention and early intervention. This should be delivered closer to people's homes or in community locations where this enables better prevention, more supported self-care and earlier intervention to support citizens. The Strategy recognises that achieving this change is a long term programme that will be delivered over the next 5 years and beyond. This is also necessary to enable a necessary long term investment in the health and care buildings and infrastructure in the system. An overall CCSS whole life model framework has been developed to focus on the need to support people through their lives from living healthy, supporting people with illness and urgent and emergency care through to end of life care. Citizens can experience different parts of the system at different stages in their lives. With the development of the overall Strategy framework the next phase of work is to review the 20 areas of service across the ICS that collectively form approximately 80% of the volume of clinical work in the ICS. This will ensure that overall the Strategy is described as a coherent whole and generates a programme of change for the whole ICS. This review of asthma and COPD is one such review and is part of the first phase of work.	
NHS Long Term Plan	 The NHS LTP is clear that to meet the challenges that face the NHS it will increasingly need to be: more joined up and coordinated in its care; More proactive in the services it provides; More differentiated in its support offer to its individuals. The ICS has focused on describing 5 areas of focus for the delivery of the NHS LTP. These requirements are reflected in each of the service reviews that collectively will describe the CCSS 1. Prevention and the wider determinants of health - More action on and improvements in the upstream prevention of avoidable illness and its exacerbations 2. Proactive care, self management and personalisation - Improve support to people at risk of and living with single and multiple long term conditions and disabilities through greater proactive care, self-management and personalisation 3. Urgent and emergency care - Redesign the urgent and emergency care system, including integrated primary care models, to ensure timely care in the most appropriate setting 4. Mental health - Re-shape and transform services and other interventions so they better respond to the mental health and care needs of our population 5. Value, resilience and sustainability - Deliver increased value, resilience and sustainability across the system (including estates) 	



Approach	This strategy has been developed through an open and inclusive process which weaves together the expertise of clinicians and care experts with commissioners and citizens in determining the future shape of services across the system. There have been a variety of stakeholder and service user events to develop a clinical and community services model. An extensive system wide piece of work is taking place across a minimum of 20 services. The CCSS Programme Board have reviewed these services against a range of quantitative and qualitative criteria and agreed the prioritisation of five service reviews. These include; Cardiovascular Disease (CVD) to Stroke ; Respiratory – Asthma and COPD; Frailty; Children and Young People (CYP); Maternity and Neonates. This document discusses the approach, scope, the key issues and potential transformational opportunities within Respiratory (asthma and COPD) services across the ICS. Health, social care, public health and the voluntary sectors have all been considered through reviewing the current service offer across the ICS. The service review was taken over approximately 24 weeks and there were two workshops held with stakeholders across the ICS. An evidence review pack was developed which considered national and local best practice to inform the development of potential themes and new models of care where transformational change may take place across the ICS in the future.
	In scope: Respiratory as a service includes a wide base of conditions, which presents a challenge in itself to review such a big area. However, as 80% of respiratory patients suffer from asthma or COPD, the Respiratory Steering group working with the Clinical and Community Services Strategy team agreed to focus on these two areas. Many of the principles around transforming services in asthma and COPD can also be applied to other respiratory disease areas.
	The review includes all adults and young people 17 years and older, in Nottingham and Nottinghamshire ICS whose respiratory disease (asthma or COPD) risk could be reduced and those that have developed asthma or COPD.
	There is a defined evidence based pathway which include the following:
Scope	 Prevention will be embedded throughout the whole of the patient journey, with a particular emphasis on a healthier lifestyle. This particularly links to addressing the issues with smoking prevention and pollution for this cohort Early detection and accurate diagnosis of asthma and COPD with appropriate Fractional Exhaled Nitric Oxide (FeNO) and spirometry testing Acute treatment management at the right time and in the right place Chronic disease management includes complex patients and comorbidities and access to Palliative and End of Life Care (EoL), with strong amphasis on a summany release.
	Not in scope: The review does not include children with asthma, although there is emphasis on early prevention. The importance of transition from children's to adult service was recognised by the steering group, however, this work was kept outside this specific review.
	The asthma and COPD services review has been supported by an overarching Clinical Design Group and a tailored Respiratory (asthma and COPD) Steering Group comprising of stakeholders and clinical experts from across the ICS. They have provided expert advice, guided, confirmed and challenged assumptions throughout the period of review and connected to other workstreams. These two groups have formed part of the governance process along with the CCSS Programme Board.
Engagement	Breathe Easy/ British Lung Foundation (BLF), Heads of Service, Social Care, Public Health, Commissioners and others) to be proactively involved in re-evaluating current service offers across the ICS, in developing potential themes and agreeing transformational change for the future Clinical and Community Services Strategy.
	In addition two patient focus groups have been held in collaboration with Breathe Easy/ BLF representatives and 1:1 conversations held with asthma patients in clinics, which has enabled them to confirm and challenge assumptions and play an active part in the co-design of any future service changes across the ICS.



www.healthandcarenotts.co.uk
 @NHSNottingham

Strategy Development	This Strategy Document consists of five key elements. These have been developed through a process of design and iteration at the two workshops and steering groups. The strategy has been developed with reference to the Evidence Review document and the patient focus groups that have been held.
Priorities for Change	The work of the Steering Group and the first workshop identified four key areas of focus that need to change in the ICS for asthma and COPD care. These were based on a review of the current issues facing the ICS and the views of the Steering Group and workshop attendees.
Proposed Future Care System	 Following the evidence review at an extended steering group meeting, attendees at Workshop 2 started to develop the future care system for asthma and COPD to address the Priorities for Change. The future care system is described against two dimensions Location split between - Home (usual place of residence) – Acute Hospital with 24/7 medical presence – Neighbourhood representing all community/primary care and ambulatory care settings Urgency split between - Emergency/Crisis requiring a service provided 24/7 to avoid crisis or risk to life – Urgent requiring a service 7/7 but not 24/7 to meet urgent care needs – Scheduled reflecting any arrangement where an appointment is agreed between a professional and a citizen The intention of the system model is to focus future care delivery closer to home and also with greater levels of scheduled care to best use the available resources and reduce demand on urgent and emergency care services. The new system to address the Priorities for Change is presented for each location and then summarised overall for the ICS.
Transformation Proposal	 The Transformation proposal described the key initiatives or programmes that are required to deliver this new model. Namely, Priority – What is the priority of the initiative in the view of the steering group and workshop attendees? Alignment – At what level of the system should we aim to deliver each initiative? In most instances this is Integrated Care Provider (ICP) level but there are some instances where the recommendation is for delivery to be at ICS level where the greater value is perceived to be in an overall consistent approach. Alternatively, it is at Primary Care Network (PCN) level where differential delivery would benefit the needs of very local populations Enabling Requirements – What is required to enable each Programme to deliver? This includes workforce, technology, estate or service configuration. There are also requirements of culture or finance and commissioning to allow the system to work together differently Benefits and Costs – Where available, the key benefits of the initiative at system level are summarised
Bridge to the Future	The 'Bridge to the Future' was generated at an extended steering group meeting prior to Workshop 2. It summarises the current challenges for the asthma and COPD system in the ICS now (Priorities for Change), where we would like to be and how we plan to get there. Progress with the 'Bridge to the Future' and the partnering vision can be returned to with stakeholders as the work develops to ensure the work remains on track.





Asthma and COPD Care Key Themes



Asthma and COPD in the ICS

0.12

0.08

0.06

0.04

0.02

0.1

www.healthandcarenotts.co.uk \mathbf{O}

* Rate per 1,000 registered persons

ссб	Asthma Patients	COPD Patients	Current Smokers	CCG Population	Asthma Rate*	COPD Rate*	Smoking Rate*
Mansfield and Ashfield	18,259	4,940	39,546	194,801	93.73	25.36	203.01
Newark and Sherwood	13,450	3,039	21,202	135,635	99.16	22.41	156.32
Nottingham City	36,359	6,595	71,102	384,245	94.62	17.16	185.04
Nottingham North and East	16,387	2,811	20,022	140,334	116.77	20.03	142.67
Nottingham West	11,456	2,321	13,887	106,055	108.02	21.88	130.94
Rushcliffe	13,752	1,935	13,002	127,866	107.55	15.13	101.68

Asthma is the most common and COPD the 2nd most common lung disorder in UK.

In the next 20 years respiratory diseases are expected to double.

884

11

£11,161

£1,985

4,298

£2,073,554

108

507

14

256

£501

£12,698

£188,640

Integrated

Care System Nottingham & Nottinghamshire



GPRCC





Nottingham City has the highest rate of new asthma diagnosis, but new COPD rates are low in Nottingham City compared with the rest of the ICS. (Nottingham has a higher proportion of younger citizens with 2 large universities).

New cases of asthma and COPD: June 2018 - May 2019

CCG	Asthma Patients	COPD Patients	Asthma Diagnosis Rate	COPD Diagnosis Rate
Mansfield and Ashfield	471	477	2.42	2.45
Newark and Sherwood	348	240	2.57	1.77
Nottingham City	1051	607	2.74	1.58
Nottingham North and				
East	336	280	2.39	2.00
Nottingham West	239	184	2.25	1.73
Rushcliffe	260	188	2.03	1.47

Notingtam North and East Notingtamwest Asthma Multiple Admissions COPD Multiple Admissions Asthma Admission Rate COPD Admission Rate

Rusholife

Nottingham City has both the highest multiple asthma and COPD admissions (and multiple admission rates for both.)



Respiratory ICS Clinical and Community Services Strategy Final V4.2



Integrated Care System Nottingham & Nottinghamshire

Priorities for change





1 in 3 patients diagnosed with asthma are not actually asthmatic

https://www.webmd.com/asthma/news/20170117/1-in-3-adults-diagnosed-with-asthma-may-not-have-it-study Nationally 7 out of 10 people don't have an asthma plan



Asthma patients with an action plan are **4x** less likely to have a hospital admission NHS

Asthma patients comorbidities

Asthma patients comorbidities





Citizens with Asthma in our ICS:
23% also suffer with depression
58% have no comorbidities
24% have 1 comorbidity

Page 10



The workshops identified 4 key themes highlighting potential areas of change which include:

- · Prevention (with emphasis on smoking, air pollution and education to enable better self-management for upstream prevention);
- Early detection and accurate diagnosis (improved early assessments and knowing who the high risk patients are, ensuring appropriate FeNO or spirometry testing is accessible locally);
- Acute treatment management (ensuring the right treatment is available in the right place in a timely manner, whilst considering comorbidities, offering COPD and asthma discharge bundles consistently to help patients understand their condition and improve self-management);
- Chronic disease management (with stratification of patients for personalised approaches, including end of life where appropriate, ensuring patients with COPD and asthma have planned and regular reviews with education on inhaler techniques and importance of medicines adherence, ensuring patients are consistently offered pulmonary rehabilitation where this clearly benefits them)

Prevention	Primary prevention – Smoking cessation, pollution awareness - Smoking remains the leading cause of preventable illness and premature death in England. In 2016 alone, there were estimated to be 77,900 deaths attributable to smoking, representing 16% of all deaths across the UK. Deprivation is heavily linked with smoking. Nationally, of those earning less than £10k per annum 19% are smokers, whereas of those earning more than £40k per annum, only 10% are smokers. Locally, better prevention is required with large areas of deprivation across parts of Nottingham and Nottinghamshire, so effective and accessible smoking cessation support is vital. The smoking cessation offer across Nottinghamshire is variable – <i>Smokefree Life</i> is available in Mid-Notts, easily accessible with self-referral possible even from your phone. <i>Stub-It</i> is the Stop Smoking Service available in Nottingham City via the Nottingham City General Practice Alliance (NCGPA), with advice available daily. This service requires a GP referral. Air pollution has a significant effect on public health, and poor air quality is the largest environmental risk to public health in the UK. In 2010, the Environment Audit Committee considered that the cost of health impacts of air pollution was likely to exceed estimates of £8 to 20 billion. There is increasing evidence of air pollution having a potential role in causing asthma, especially in people who live near busy roads, as well as being a trigger that can make an asthmatic's symptoms worse. Locally, <i>Better Air Quality and Environment (Local transport for Nottingham)</i> sets out the Greater Nottingham approach to tackling transport related environmental issues including the response to the Government's Shared Priority for achieving better air quality, however, local Nottingham City pollution maps show there is still some way to go to tackle issues around the main areas of congestion. There are also challenges people face with pollutants to triggers within their homes, including
	damp releasing spores from mould. In addition to GPs, the role of health care professionals in primary care can significantly contribute to not only primary prevention but also to the secondary prevention agenda. In 2015 the government made the supply of influenza vaccination through community pharmacies a nationally funded service. Community pharmacies provide influenza vaccinations to the general public who are considered at higher risk of contracting influenza or putting those in their care at risk of contracting the disease and this includes those with long term conditions such as asthma and COPD. There are great gains to be made locally for the ICS population by broadening the scope of those who can vaccinate – better controlled provision across the community is easily achievable through community pharmacies, but often commissioning complexities prevent this being achieved. A single database of those vaccinated would help with monitoring and promote access through understanding who the high risk patients are.



5. Priorities for Change

	Early Detection and Accurate Diagnosis	COPD can be challenging to identify, because symptoms are often mistaken for the gradual aging process. In fact, COPD can develop over the course of several years without any signs of shortness of breath. For this reason, COPD often goes undetected for far too long. Post-bronchodilator spirometry is used to identify abnormalities in lung volumes and air flow. Spirometry should be performed by a healthcare professional (HCP) who has had appropriate training and who has up-to-date skills. An accreditation scheme to meet the Association for Respiratory Technology and Physiology (ARTP) Spirometry Accreditation standards is being rolled out across the ICS, with HCPs trained as appropriate to their role to go on the register by 2021. There is still some way to go, where a truly dedicated service can provide consistent and equitable measurement and interpretation of spirometry delivered locally, via a universal ICS approach. For asthma there is no single diagnostic test to confirm a diagnosis. NICE states using clinical judgement to determine the probability of an asthma diagnosis, based on a combination of factors including the need for fractional exhaled nitric oxide (FeNO) testing. Local spirometry practices differ largely as a result of the required accreditation, which is a strong area of current focus across the county.
		Supporting people to manage their own conditions is an important goal within the NHS Outcomes Framework, however, across Nottinghamshire there is currently inequitable or inconsistent access to smoking cessation and pulmonary rehabilitation (PR), leading to avoidable exacerbations for COPD patients. Some patients spoke about poor follow up and lack of understanding of what support was available.
	Acute Treatment Management	Despite the improvements in efficacious treatments for asthma in the UK, rates of admissions and deaths remain at a plateau, where two-thirds of asthma deaths are preventable. Treatments are ineffective in more than half the people with asthma because the medication is not taken as prescribed. So rather than simply offering incrementally better medicines, we need new ways of delivering asthma care and activating patient self-management - much of this lies in patient education around inhaler use and smoking advice to prevent the next admission. By providing appropriate asthma and COPD discharge care bundles across the ICS and self-management action plans for patients.
		Long Term Oxygen Therapy (LTOT) is used to treat people with stable COPD who have developed daytime hypoxaemia. National Institute for Clinical Excellence (NICE) Guidance states that people with stable COPD and a persistent resting stable oxygen saturation level of 92% or less should have their arterial blood gases measured to assess whether they need LTOT. Across Nottinghamshire, there is a need to optimise the appropriate use of oxygen across the region.
Chronic Disease Management	With clear stratification of patients it enables improved personalised care, ensuring management of comorbidities are captured including frailty and where appropriate consideration of end of life care. The number of patients with comorbidities is expected to rise and it is therefore, important, to ensure improved multi-disciplinary working across pathways (currently in Nottinghamshire 40% of COPD patients have 3 or more comorbidities, with 30% suffering with depression and 23% of asthma patients in the ICS also suffer with depression).	
	Chronic Disease Management	90% of NHS spend on asthma goes on medicines, but incorrect use of medication can also contribute to poorer health outcomes and increased risk of exacerbations, or even admission. It is essential therefore that clear education on inhaler techniques with regular recorded reviews are deployed consistently across all primary care and health community partners. NICE Guidance says to review people with COPD at least once per year and more frequently if indicated. For most people with stable severe COPD, regular hospital review is not necessary, but there should be locally agreed mechanisms to allow rapid access to hospital assessment when needed.
		Pulmonary Rehabilitation (PR) is recognised as an evidence based treatment in improving dyspnoea and the quality of life for patients with COPD. It is proven that PR is highly effective in improving the exercise capacity of patients with COPD, with better results in patients with more severe disease. Of patients that would benefit from PR, currently 20% are referred for PR across Greater Notts, 25% in Mansfield and Ashfield and 30% in Newark and Sherwood (only 13% nationally).

6. Proposed future care system

Emergency/Crisis – 4 hours

Planned/Scheduled	Urgent – 24 hours	Emergency/Crisis – 4 hours
 Prevention – risk factors/ primary , secondary, tertiary preventions Awareness raising, e.g. asthma radio/ Twitter, Notts TV Smoking cessation – online or face to face (house bound) Home Flu vaccine for house bound– visible on electronic Shared Care Record Expert education on air pollution – occupational exposure, housing support for at risk/ disadvantaged groups Mental Health/ Social care support for anxiety management at home Regular medication review/ flag if not required/ irregular usage quantity to flag at GP practice/ pharmacy Giving people knowledge, skills and confidence to take control of their lives, health and social care, making healthy choices as easy as possible. Diet/ exercise – voluntary sector groups Sustainable by: Improved support and understanding of risks allows early prevention Promotes awareness to support self-care as secondary prevention Improved outcomes - reduced rate of disease progression and improved management by lowering smoking prevalence and improving awareness 	 <u>Prevention – risk factors/ primary , secondary, tertiary preventions</u> Mental health/ Social care support and safeguarding Sustainable by: Provides quick response enables earlier intervention and support to avoid crisis services 	
Detection and Diagnosis – early detection & accurate diagnosis/ identical practice across region • Spirometry for those housebound Sustainable by: • Encourages early detection		
Acute Treatment Management – treatment/ therapies/ comorbidities/ inhaler devices and techniques • Self Management Plan and Rescue Pack (during breathlessness) – system wide approach Sustainable by: • Prevents admission/ acute exacerbation and is evidence based NICE 2018 for COPD	 <u>Acute Treatment Management – treatment/ therapies/</u> <u>comorbidities/ inhaler devices and techniques</u> O₂ follow up within 24 hours Respiratory exacerbation management through urgent response from community team Crisis management response at home for COPD patients – consistent system-wide offer across 7 days 	Acute Treatment Management – treatment/ therapies/ comorbidities/ inhaler devices and techniques • Acute crisis management 4 hour response system-wide EMAS supported – requires system-wide access to basic records Sustainable by: • Prevents acute admission
 <u>Chronic Disease Management – prescribing optimal therapies/ regular</u> <u>reviews/ education and pulmonary rehab</u> Home Pulmonary rehab – housebound/ online, DVD, video, etc. Clinical technology as a new way of delivering asthma care and activating patient self-management, e.g. App-based support Dietician input for nutritional advice to maintain healthy weight Written Asthma Plan Sustainable by: Provides home support and promotes self-care and awareness for secondary and tertiary prevention – reduced admissions/ exacerbations Deliver evidence based medicines optimisation Healthy diet helps reduce breathlessness and helps maintains energy Reduce likelihood of emergency admission 	 Reduces chance of acute exacerbation and admission, communication with patient through technology Apps – provides timely response for urgent intervention promoting self-care. 	

Colour KEY to information source: Steering Group/ Workshop 1 Evidence Document/ Guideline Patient Focus Groups

6. Proposed future care system

– 4 hours

Planned/Scheduled	Urgent – 24 hours	Emergency/Cris	sis – 4 hou
Prevention – risk factors/ primary , secondary, tertiary preventions • Enhance early identification across system of key risk factors between partners (dentists, pharmacists, employers) with early lung health screening • Accommodate appointments outside working hours • Public Health to fully support and develop multi-skilled workforce in community hubs/GP practices – all contact to be able to advise and support prevention agenda (incl. family nurses, pharmacists, dentists, social services and voluntary and community sectors) – having prevention informed workforce • Smoking cessation access at support groups, community pharmacy, GP/ community hub, dentists – brief intervention and referral –system-wide • Nicotine Replacement Therapy and advice to be made available locally (target areas of disadvantaged groups) • Anxiety management, Cognitive Behaviour Therapy (CBT), Improving Access to Psychological Therapies (IAPT)/ mental health support • Improved support for smoking – commissioned unrestricted services (incl. <18yrs) - staff training to provide accessibility/ signposting to same support • Flu vaccines via multiple providers/ community nursing teams – access to high risk patient (identifiers to be added to the electronic shared care record (eSCR)) Sustainable by: • Long term prevention initiatives reduce burden on future demand across services	 Prevention - risk factors/ primary , secondary, tertiary preventions Urgent mental health and social care support for patients with anxiety to help manage -CBT/IAPT approaches Sustainable by: Provides local access to required support in community hub or GP practice to prevent admissions 		
Detection and Diagnosis – early detection & accurate diagnosis/ identical practice across region • Universal Spirometry offer – best model to be agreed with appropriate training/ accreditation commissioned across system – measure, interpret and diagnose • Have FeNO test routinely available locally in GP Practice/community (diagnostic) hubs • Ear Lobe Blood Gas/ Oxygen Assessment acute into community hub in-reach to outreach then follows Chronic Disease Management Sustainable by: • Improves early detection and accurate diagnosis – reduces unnecessary steroids and over-diagnosis, reduces acute emergency admissions	Detection and Diagnosis – early detection & accurate diagnosis/ identical practice across region •Access to local X-ray for persistent exacerbation – community (diagnostic) hub. Community Respiratory Nurses to be able to request X-Rays Sustainable by: •Improves early detection and accurate diagnosis – reduces unnecessary steroids and over-diagnosis, reduces acute emergency admissions		
Acute Treatment Management – treatment/ therapies/ comorbidities/ inhaler devices and techniques Inhaler technique training to all contact groups to advise and optimise correct use of inhaled therapies (incl. family nurses, pharmacists, dentists, social services and voluntary and community sectors) • MDT approach to cross organisational inclusion of professionals including community and acute teams Sustainable by: • Reduce over-prescribing, improve outcomes, reduce admissions	Acute Treatment Management – treatment/ therapies/ comorbidities/ inhaler devices and techniques • Ability for O ₂ wean as early supported discharge • In-reach to outreach • Access to blood gases Sustainable by: • Reduce over-prescribing, improve outcomes, reduce admissions		
Chronic Disease Management – prescribing optimal therapies/ regular reviews/ education and pulmonary rehab • Improved and earlier pulmonary rehab in community setting – group, sports clubs, gym/ leisure centres – train to support follow up/ maintenance classes • Consultant based community scheduled clinics with access to chest X-ray in community hub • Anxiety management, Cognitive Behaviour Therapy • Clinical technology as a new way of delivering asthma care and activating patient self-management, e.g. App-based support • Social Prescribing – focus on 'what matters to me' and take a holistic approach • Periodic Audit/ Review – COPD and Asthma requires eSCR so 'every contact counts' allows GP, Community Pharmacist, Community groups – hub based, to provide in-depth review, esp. high risk patients – system wide use of appointment or review prompts • Oxygen assessment/ management • Integrated advance disease planning/ End of Life planning–palliative care for respiratory in the community, RESPECT. Sustainable by: • Provides home support and promotes self-care and awareness for secondary and tertiary prevention – reduced admissions/ exacerbations • Deliver evidence based medicines optimisation	Chronic Disease Management – prescribing optimal therapies/ regular reviews/ education and pulmonary rehab • Crisis Management (Rescue pack support – 7 days per week) • Access to X-ray and follow up in persistent exacerbation – similar to hot clinics, need input but not admission Sustainable by: • Response within 24 hours to prevent admission		
Reduce likelihood of emergency admission	Colour KEY to information source: Steering Group/ Workshop	1 Evidence Document/ Guideline	Patient Focus Groups

Respiratory ICS Clinical and Community Services Strategy Final V4.2

6. Proposed future care system

Planned/Scheduled

- Prevention risk factors/ primary, secondary, tertiary preventions
- Mandatory training for acute staff on smoking cessation
- In-hospital smoking counselling and nicotine replacement therapy (NRT) advice/ service
- Flu vaccine for high risk unvaccinated patients
- Strictly enforced no smoking policy in hospital grounds Sustainable by:
- Reduced risks and secondary/ tertiary prevention

Urgent – 24 hours

Prevention - risk factors/ primary , secondary, tertiary preventions · Brief intervention and smoking cessation offer

Sustainable by:

Improved signposting, opportunity for access for urgent cases

Acute Hospital

Emergency/Crisis – 4 hours

- Detection and Diagnosis early detection & accurate diagnosis/ identical practice across region
- Visible spirometry and access to records from community hubs
- Robust pathway of care with a multidisciplinary approach supported by robust communication and shared records between different professions (Clinician/ AHP/Social Care)
- Specialist diagnostic testing such as FeNO, Lung volumes

Universal acute treatment pathways across the system

Equity of care providing consistently improved outcomes

offer (not limited to fixed time period)

Patient satisfaction and improved outcomes

 Ear Lobe Blood Gas/ Oxygen Assessment acute into community hub inreach to outreach then follows Chronic Disease Management Sustainable how?

Acute Treatment Management - treatment/ therapies/ comorbidities/ inhaler

Appropriate social care access from acute to community and home

Improved discharge planning and follow up personalised pulmonary rehab

Universal/ consistent offer of early detection and accurate diagnosis

Detection and Diagnosis – early detection & accurate diagnosis/ identical practice across region

- ELBG/ Oxygen assessment also within 24 hours
- Sustainable by:
- Earlier intervention to avoid crisis services

Acute Treatment Management - treatment/ therapies/ comorbidities/ inhaler devices and techniques

- Urgent response of oxygen wean to support early discharge in reach to outreach
- Sustainable by:
- Provides managed discharge response within 24 hours

Acute Treatment Management - treatment/ therapies/ comorbidities/ inhaler devices and techniques

- System wide access to clinical information including for EMAS
- Emergency non-Invasive outreach from Respiratory wards
- · Recognition and response for acute cases, e.g. cyanosis, peripheral oedema –EMAS
- Sustainable by:
- Earlier intervention to reduce acute deterioration/ risk to life

Chronic Disease Management – prescribing optimal therapies/ regular reviews/ education and pulmonary rehab

- Acute to community hub process in reach to outreach planning
- MDT working across places, roles and organisations, including Integrated End of Life Planning

Sustainable by:

devices and techniques

Sustainable by:

Aligns with national objectives, improves outcomes

Chronic Disease Management – prescribing optimal therapies/ regular reviews/ education and pulmonary rehab

Sustainable by:

Colour KEY to information source: Steering Group/ Workshop 1 Evidence Document/ Guideline Patient Focus Groups

- - Quick response early discharge bundle
- Provides managed discharge response within 24 hours



involvement: equality and inequality analysis

NOTE: In further developing and implementing the proposals set out above as part of our focus, each partner organisation within the ICS will continue to ensure that

Respiratory ICS Clinical and Community Services Strategy Final V4.2

they comply with their statutory duties and system/organisational governance processes, particularly (but not limited to) those relating to patient and public Page 16



Early and accurate diagnosis to include appropriate FeNO, spirometry testing accessible locally High Priority	COPD can develop over the course of several years without signs of breathlessness. For this reason COPD often goes undetected for far too long. Furthermore, health and social care providers do not currently do enough to identify the people most at risk. Through improved recording of smokers (Ask, Advice, Assist), identifying and supporting those families in poor housing conditions (e.g. cold and damp), flagging patients presenting with a high risk factor (smokers, those exposed to high levels of pollution - within or outside the home), more can be done to help reduce the incidence of asthma and COPD. People over 35 who present with a high risk factor and one or more symptoms of COPD should have post-bronchodilator spirometry (NICE Guidance, 2019). For patients who are symptomatic of either asthma and COPD, it is imperative that spirometry or fractional exhaled nitric oxide FeNO tests are undertaken. In order to guarantee consistently improved earlier and accurate diagnosis these test should be performed and accessible locally by accredited HCPs who can undertake testing and interpret the results, whilst considering the results in the context of other clinical information, otherwise, evidence suggests significant misdiagnosis and less than optimal or appropriate treatments. More needs to be done across both primary and secondary care to: • Identify the patients at risk (this may be flagged by any HCP trained to see the signs) • Signpost to the local accredited HCP – who can undertake quality assured testing, interpretation and aid more accurate diagnosis Impact & Benefit • Early and correct diagnosis, reduce clinical variation ensuring the right care in the right place in a timely fashion • Improved patient outcome through earlier intervention and improved disease management • Reduced medicines spend due to accurate diagnosis and correct treatments Alignment – For early and accurate diagnosis of both asthma and COPD a standard approach is required across the ICS to ensure consistency of access to FeNO and sp
Respiratory education for citizens, healthcare professionals and respiratory patients across Nottinghamshire Med Priority	 The NHS LTP recognises that more needs to be done to support those people with respiratory disease to receive the right medication. 90% of NHS spend on asthma goes on medicines, but incorrect use of medication can also contribute to poorer health outcomes and increase risk of exacerbations, or even admission. The <i>Nottinghamshire Warm Homes on Prescription</i> project aimed to help low income residents with cold-sensitive long-term health conditions to achieve affordable warmth. This 12 months pilot helped residents in Nottinghamshire County Council area by making heating improvements such as boiler repairs/replacement (not an emergency service), new heating controls, insulation and draught proofing. Such schemes need to be more widely accessible across the county. Through a three-tiered approach to respiratory education this can improve prevention, early detection and self-management of respiratory disease across the ICS for: ICS Population – making the population aware of high risk factors and providing early support and access through improved education, social and mental health support for anxiety management, universal access to smoking cessation Healthcare professionals/ voluntary sector support groups – enabling the wider partners to provide early support and advice to those at highest risk, with clear signposting of robust accessible services Patients (inhaler techniques, rescue medicines, medicines adherence) – giving patients the confidence and understanding to self-manage their conditions and reduce exacerbations and admissions through improved access to a robust support structure Impact & Benefit The opportunity to educate across the ICS allows smokers to be flagged with health care professionals not just Asking, but confident to Advise and Act (with Assess and Assist appropriately aligned). Education also greatly improves self-management Has potential to drastically reduce spend on medicines and acute admission episodes through correct use

NOTE: In further developing and implementing the proposals set out above as part of our focus, each partner organisation within the ICS will continue to ensure that they comply with their statutory duties and system/organisational governance processes, particularly (but not limited to) those relating to patient and public involvement: equality and inequality analysis



Smoking cessation intervention with universal offer for citizens across Notts High Priority	In England 60% of smokers want to quit, 10% of which intend to do so within three months, however, trying to quit on will-power alone is the least effective method. Getting support can greatly increase a person's chance of quitting successfully with local smoking cessation services known to have the highest success rates. Nottinghamshire needs a universal offer of smoking cessation for all those that need it, irrespective of postcode. Having a centralised approach (single point of contact) with locally delivered access can provide a universal offering, with particular emphasis and support in areas of social deprivation. Researchers have repeatedly demonstrated the effectiveness and cost-effective), especially in community pharmacy led smoking cessation services. The ICS needs to exploit the opportunity to provide smoking advice or signposting through its host of healthcare professionals, whilst addressing the social and mental-health determinants that make people want to smoke in the first place. Social prescribing is a way of linking patients in primary care with sources of support within the community. It provides GPs with a non-medical referral option that can operate alongside existing treatments to improve health and wellbeing. This aligns with the NHS Long Term Plan to provide social prescribing to 2.5 million more people. Impact & Benefit Help those that want to quit, improving healthy living for the ICS population and reducing progression of respiratory disease (WHO: the life expectancy increases for those already with a smoking related illness that quit) Long term financial gains can be realised through effective smoking cessation over time, but short term impact includes shorter LoS, less readmissions due to acute exacerbations
Accessible and timely pulmonary rehab offer as rolling programme High Priority	Patients' focus groups have outlined that pulmonary rehabilitation (PR) across Notinghamshire is "hit and miss" with some COPD patients reportedly not being offered PR when needed following their initial acute admission and diagnosis. The NHS LTP reports that 90% of patients that complete the PR programme experience improved exercise capacity or increased quality of life, but nationally PR is only offered to 13% of patients that would benefit from it (20% in Greater Notts, 25% Mansfield and Ashfield, 30% in Newark and Sherwood). By expanding PR services over 10 years, 500,000 exacerbations can be prevented and 80,000 admissions avoided nationally. By offering an accessible and timely rolling pulmonary rehab programme across Notinghamshire, this can reach all patients and prevent avoidable exacerbations improving self-management of their condition. Furthermore, in COPD patients suffering with mild depression PR with cognitive behavioural therapy are effective and this needs to be built into a coordinated referral programme together with access to Improving Access to Psychological Therapies (IAPT). Awareness of Breathe Easy support needs to be improved, especially in primary care across the community including GP practices – their management classes have been effective in further reducing GP attendances and acute admissions. Impact & Benefit • Reduced hospital admissions for acute exacerbations • Improved quality of life through continued support and education • Increase exercise capacity • Reduced GP attendances • Improved social and mental health wellbeing with access to anxiety management, CBT, IAPT In turn many of these benefits reduce the financial burden on the health care sector British Medical Journal (BMJ) report between £2k and £8k per QALY). Alignment – Pulmonary rehab should be made available county-wide, with structured services delivered through each of its ICPs

NOTE: In further developing and implementing the proposals set out above as part of our focus, each partner organisation within the ICS will continue to ensure that they comply with their statutory duites and system/organisational governance processes, particularly (but not limited to) those relating to patient and public involvement: equality and inequality analysis



Universal offer for oxygen services with consistent approach in assessment and subsequent provision as required High Priority (Quick win £)	Long Term Oxygen Therapy (LTOT) is used to treat people with stable COPD who have developed daytime hypoxaemia. NICE Guidance states that people with stable COPD and a persistent resting stable oxygen saturation level of 92% or less should have their arterial blood gases measured to assess whether they need LTOT. Across the ICS we need to optimise the appropriate use of oxygen across the region with effective assessment from secondary to primary care use. This is important for sustainability as often patients on LTOT do not receive reviews or have appropriate assessments from the outset. Work on this is currently in phase 1 and has started in Greater Notts but will join up with Mid Notts in phase 2 to develop an in reach service to the hospitals based on successful Bassetlaw and Derby models. The current supplier of home oxygen has recently introduced new technology, a portal that is eliminating prescribing errors. Impact & Benefit Uniform provision, no variation in access Equity of service wherever patients' normal place of home is across Nottinghamshire Upskilling professionals to recognise those oxygen users that may require more effective management/ optimisation Alignment – By rolling out a uniform programme across the ICS, it will enable consistent processes to be adopted optimising the use of oxygen giving significant savings as a quick win.
Community response for urgent respiratory care Medium Priority	Lancaster Care NHS FT (2016), found that 'Better care, better value' data, supported by local intelligence, highlighted a greater number of admissions for respiratory disease and COPD than for comparable populations and higher than expected hospital mortality rates. The acute trust had a high level of emergency admissions for COPD, which resulted in a zero to one day LoS. National evidence suggests that short stay emergency admissions are avoidable if there is appropriate alternative community provision (Foster, 2012). Although there is currently some community provision for asthma and COPD patients, a universal offer of care across the county is required to benefit all patients and provide response for urgent respiratory care to avoid acute admissions. This requires closer partnership working with GP practices, to keep patients 'visible' and will enable improved monitoring and coordination of therapies and earlier diagnostics (access to local X-ray for persistent exacerbation in community (diagnostic) hub, with Community Respiratory Nurses to be able to request X-Rays) Impact & Benefit Reduces variation Increase access and reduces acute admissions Community intervention for asthma patients – high risk patients, but often hard to reach Potential to use Advanced Care Practitioner (ACP) role can catch patients earlier to reduce admissions, also reduces impact on GP admissions if they saw some of these patients Alignment – Community response for urgent respiratory care should be aligned primarily at ICP level, however, given the diverse population, with areas of greater deprivation tending to have a greater need, it is important that universal pathways are delivered at PCN level.

NOTE: In further developing and implementing the proposals set out above as part of our focus, each partner organisation within the ICS will continue to ensure that they comply with their statutory duties and system/organisational governance processes, particularly (but not limited to) those relating to patient and public involvement: equality and inequality analysis



Increase the uptake of flu vaccinations offer for high risk groups available locally Low Priority (Can achieve as quick win)	Asthma is not known to be a risk factor for flu, but flu infection can be more serious for people with asthma, even if their asthma is mild or their symptoms are well-controlled by medication. This is because people with asthma have swollen and sensitive airways, and influenza can cause further inflammation of the airways and lungs. Influenza infection in the lungs can trigger asthma attacks and a worsening of asthma symptoms. It also can lead to pneumonia and other acute respiratory diseases. In fact, adults and children with asthma are more likely to develop pneumonia after getting sick with flu than people who do not have asthma. Similarly having COPD makes you more likely to have serious complications from flu and are more likely to be hospitalized if infected. Flu vaccination is the cheapest way of improving QALY (quality adjusted life years) for those with respiratory diseases. Vaccinations in people living with lung disease can reduce hospital admissions by up to 52% and reduce mortality by 70%. But uptake of the vaccine in people with chronic respiratory conditions can be further improved (81% in our ICS, 78.1% in England). This leaves many people with lung disease at risk of complications associated with flu. Despite national drivers to improve the uptake of flu vaccinations, there are still many at high risk not receiving them. There are quick wins to be gained through focus on improving this, including improved quality of life for those at high risk and savings through reduced admissions to acute hospitals. Impact & Benefit Improve quality of life through reduced exacerbations in asthma and COPD patients Potential savings through reduced acute admissions – this is an enabler for other priorities by releasing funds Flu vaccine is already available to high risk groups – the means to deliver this needs to be optimised
	Alignment – Improving the uptake of flu vaccinations needs to be aligned to an ICS level, appropriate training and support at local PCN levels to increase accessibility through a range of healthcare professionals
Development of MDT approach to support holistic care across the pathway High Priority	Up to 10% of asthmatics have "difficult asthma", however, they account for 80% of asthma-related expenditure and run the highest risk of acute exacerbations (British Thoracic Society (BTS) guidelines). An estimated 75% of admissions for asthma are avoidable. Guidelines advise that these patients be managed by an experienced multidisciplinary team (MDT). Introducing an MDT at University Hospital Southampton FT showed that MDT case management approach significantly reduces hospitalisation in asthma patients with prior frequent admissions. Right Care (NICE CG101) recommend multidisciplinary working for COPD management. MDT meetings should aim to optimise management and improve pathways for respiratory patients by improving communication between providers across settings and disciplines also promoting the benefits of holistic care across the pathway. Education of the MDT members would also occur with the benefit of safer practice. The MDT can allow discussion of complex patients characterised by (multiple) comorbidities, frequent exacerbations and admissions, social and mental health problems, unclear diagnosis and suboptimal responses to interventions. They should also include access to palliative care and end of life (EoL). With the high rate of comorbidities in the region, especially for COPD patients, could the introduction of joint outpatient clinics provide improved management of comorbidities? Impact & Benefit MAking use of technology (e.g. Guidance on Risk Assessment for Stroke Prevention for Chronic Obstructive Pulmonary Disease (GRASP-COPD)), target those complex/ advanced patients that require a different approach including those requiring frequent, unplanned acute care – risk stratifying to optimise for the longer term Promotes self-management through development of individualised plans in collaboration with each patient and their families or carers Alignment – Personalised care and MDT management of patients should be aligned at ICP level with the same standards across the ICS.

NOTE: In further developing and implementing the proposals set out above as part of our focus, each partner organisation within the ICS will continue to ensure that they comply with their statutory duties and system/organisational governance processes, particularly (but not limited to) those relating to patient and public involvement: equality and inequality analysis



involvement: equality and inequality analysis

Respiratory ICS Clinical and Community Services Strategy Final V4.2



8. Enabling Requirements

Workforce	 Enhancing the future health and social care for asthma and COPD services, requires the following main considerations for workforce: Cross pathway working (primary and secondary care) for physiologists, perhaps introducing apprenticeship opportunities Strong involvement from Public Health consultants to lead the prevention agenda, providing appropriate training across the service Widespread training of healthcare professionals (HCPs) to empower them to provide appropriate advice or signposting for smoking cessation More staff required to provide county-wide pulmonary rehab and training to improve signposting of available support, including voluntary sector Appropriate staff trained to optimally assess, prescribe and manage oxygen needs across primary and secondary care Inclusion of MDT working as appropriate in job plans to ensure adherence/ attendance
Technology	 The main areas in which technology can effect transformation for COPD and asthma care include: A single IT system providing appropriate access to electronic shared care records – across both health and social care settings App development/ promotion for smoking cessation/ signposting locally. Waiting rooms in various health and social care settings to use screens with rolling information on health and social care advice/ support services available – promote healthier living Better use of reliable handheld devices across community and home settings to improve access to records Technology to stratify patients to match risk/ service needs (e.g. GRASP)
Estate	 With strong emphasis on making respiratory care more locally accessible, there is a drive to host services in local community hubs. Spirometry and FeNO testing accessed locally through accredited respiratory nurse Increased access to pulmonary rehab closer to home Universal smoking cessation offer with consistent services accessed locally
Culture	 To drive a culture change we need shared and integrated use of workforce across organisations to enable the sharing of resources as there are limited staff groups and expertise, with the introduction of MDTs this should improve education across the workforce. Organisational trust and changes in how future services are commissioned will provide the greatest influence on the future of integrated service provision and how best evidence can influence the future asthma and COPD service offer across the ICS.









11. List of Abbreviations

1°, 2° Care	Primary, Secondary Care	LoS	Length of Stay
A&E	Accident and Emergency	LTC	Long Term Conditions
ACP	Advanced Care Practitioner	LTOT	Long Term Oxygen Therapy
ARTP	Association for Respitatory Technology and Physiology	LTP	Long Term Plan
BLF	British Lung Foundation	MDT	Multi-Disciplinary Team
BMJ	British Medical Journal	MH	Mental Healthcare
BTS	British Thoracic Society	NCGPA	Nottingham City General Practice Alliance
CBT	Cognitive Behaviour Therapy	NHS	National Health Service
CCG	Clinical Commissioning Group	NHSE	National Health Service England
CCSS	Clinical and Community Services Strategy	NHSI	National Health Service Improvement
COPD	Chronic Obstructive Pulmonary Disease	NICE	National Institute for Health and Care Excellence
CVD	Cardio Vascular Disease	Notts.	Nottinghamshire
CYP	Children and Young People	NRCP	National Register of Certified Professionals
ELBG	Ear Lobe Blood Gas	NRT	Nicotine Replacement Therapy
EMAS	East Midlands Ambulance Service	NUH	Nottingham University Hospitals
EoL	End of Life	0 ₂	Oxygen
eSCR	Electronic Shared Care Record	PCN	Primary Care Network
FeNO	Frasntonal Exhaled Nitric Oxide	PH	Public Health
FT	Foundation Trust	PHE	Public Health England
GP	General Practitioner	PHM	Population Health Management
GPRCC	General Practice Repository for Clinical Care	PID	Project Initiation Document
GRASP-COPD	Guidance on Risk Assessment on Stroke Prevention for COPD	PR	Pulmonary Rehabilitation
HCP	Healthcare Professional	QALY	Quality Adjusted Life Years
HES	Hospital Episode Statistics	QIPP	Quality, Innovation, Productivity and Prevention
IAPT	Improving Access to Psychological Therapies	QMC	Queen's Medical Centre
ICP	Integrated Care Partnership	SFH	Sherwood Forest Hospitals
ICS	Integrated Care System	SIGN	Scottish Intercollegiate Guidelines Network
IT	Information Technology	WHO	World Health Organisation



Data Sources	NHS RightCare Local Data from CCGs (from HES and GPRCC) Public Health – fingertips NHS Digital Asthma.org.uk NICE guidance British Lung Foundation NHS Long-term Plan National Asthma and COPD Audit Programme Office of National Statistics Poppi – Projecting Older People Population Information System
--------------	--